

30M IR Color Cameras



► Features

- 1/3" Sony Color CCD Sensor
- NTSC:512x492/PAL:512x582 Pixels
- 420 TV Lines
- 0.01Lux / F1.2
- Regulated and excellent colored picture is provided by DSP
- YC separated circuit designed, color signal is killed at night
- PWM circuit to drive high power LED, 85% high efficiency
- 30M IR LED Illuminating Distance
- 8.0mm Lens
- DC 12V
- IR-Cut Filter Removable(ICR) (Optional)

SKC-31D232 / SKC-31D234

► Specification

Model	SKC-31D232	SKC-31D234
CCD	1/3" Sony Color CCD	1/3" Hi-Res. Sony Color CCD
Effective pixels	NTSC: 512(H) x 492(V) PAL: 512 (H) x 582(V)	NTSC: 711(H) x 492(V) PAL: 753 (H) x 582(V)
Signal System	PAL/NTSC	
Horizontal Resolution	420 TV Lines	480 TV Lines
Lens	8.0mm Lens	
Sync. System	Internal	
Minimum Illumination	0.01Lux @F1.2	
S/N Ratio	More than 60dB(AGC OFF)	
Electronic Shutter	1/50(1/60)~1/100,000sec.	
White Balance	Auto	
Backlight Compensation	On / Off Switchable	
Auto Gain Control	Auto	
CDS	Minus Delta Voltage	
ICR	Yes	
IR LED	40x	
Video Output	Composite Video Output(1Vp-p 75ΩTerminated)	
Power Sourcing	DC12V 3.5W	
Operating Temperature	-20°C ~ 60°C (-4°F ~ 140°F)	